

=====
 SECTION I - PRODUCT IDENTIFICATION
 =====

Manufacturer: SIA ADHESIVES, INC. Information Phone: (330) 374-2786
 123 WEST BARTGES ST. Emergency Phone: (330) 374-2900
 DEPARTMENT 1932/1904 CHEMTREC Phone: (800)424-9300
 AKRON OH 44311

Product Class: TWO PART EPOXY ! Hazard Ratings: Health - 1
 Trade Name : EL 2705 B ! none -> extreme Fire - 1
 Product Code : 3010750 ! 0 ---> 4 Reactivity - 1
 C.A.S. Number: N/AP !
 Prepared By : MICHAEL T. EBERHART
 Title : ENVIRONMENTAL AFFAIRS MANAGER

 =====
 SECTION II - HAZARDOUS INGREDIENTS
 =====

Ingredients	CAS #	Weight %	--- Exposure Limits ----			VP mm HG	
			ACGIH/TLV	OSHA/PEL			
POLYAMIDE SYSTEM	68410-23-1	95.	0	N.E.	0	N.E.	N/AP
		STEL =		N.E.		N.E.	
AMORPHOUS SILICA	112945-52-5	5.		N.E.		N.E.	N/AP
		STEL =		N.E.		N.E.	

6 mg/M3 IS INDUSTRIY STANDARD FOR TOTAL DUST SAMPLING

*** ALL Ingredients in this product are listed in the T.S.C.A. Inventory.

N.E. = Not Established

 =====
 SECTION III - PHYSICAL DATA
 =====

Boiling Range: NONE Vapor Density: Non Volatile
 Evap. Rate: Non Volatile Liquid Density: Lighter than Water.
 Volatiles vol % 0.0 Wgt% 0.0 Wgt per gallon: 8.08 Pounds.
 Spec. Gravity: 0.96999

Appearance: AMBER PASTE AMINE ODOR
V.O.C.: NONE

 =====
 SECTION IV - FIRE AND EXPLOSION HAZARD DATA
 =====

Flammability Class: 3B Flash Point: NONE F TOC LEL: NONE UEL: 0.00%
 -EXTINGUISHING MEDIA:
 CARBON DIOXIDE, FOAM, DRY CHEMICAL.
 -SPECIAL FIREFIGHTING PROCEDURES:
 DO NOT ENTER CONFINED SPACE WITHOUT PROPER PROTECTIVE EQUIPMENT
 INCULDING NIOSH APPROVED SELF CONTAINED BREATHING APPARATUS.
 -UNUSUAL FIRE & EXPLOSION HAZARDS:
 NONE KNOWN.

=====
SECTION V - HEALTH HAZARD DATA
=====

-PERMISSIBLE EXPOSURE LEVEL:

NONE ESTABLISHED. SKIN AND EYE IRRITANT.

-EFFECTS OF OVEREXPOSURE:

SKIN:PROLONGED OR REPEATED EXPOSURE MAY CAUSE MODERATE IRRITATION;MAY CAUSE ALLERGIC REACTION AND SENSITIZATION IN SOME INDIVIDUALS.

EYE :MODERATE TO SEVERE IRRITATION.

MEDICAL CONDITIONS AGGRAVATED BY EXPOSURE: SKIN RASHES.

CARCINOGEN STATUS SEE SECTION II IF APPLICABLE.

CHRONIC EXPOSURE MAY CAUSE SOME PEOPLE TO DEVELOP SKIN RASH, ALLERGIC REACTION AND/OR SKIN SENSITIZATION.

-FIRST AID:

SKIN:REMOVE CONTAMINATED CLOTHING;WASH AREA WITH PLENTY OF SOAP AND WATER;SEE A PHYSICIAN IF IRRITATION DEVELOPS.

EYE:FLUSH WITH WATER FOR 10 MIN. SEE A PHYSICIAN IF IRRITATION DEVELOPS.

INGESTION:INDUCE VOMITING AND CONSULT A PHYSICIAN.

INHALATION:REMOVE TO FRESH AIR. GET MEDICAL ATTENTION IF NECESSARY.

=====
SECTION VI - REACTIVITY DATA
=====

STABILITY: [] Unstable [x] Stable

HAZARDOUS POLYMERIZATION: [] May occur [x] Will not occur

-INCOMPATIBILITY:

EPOXY RESINS.

-CONDITIONS TO AVOID:

AVOID MIXING WITH LARGE AMOUNTS OF EPOXY RESIN.NO MORE THAN TWO POUNDS.

-HAZARDOUS DECOMPOSITION PRODUCTS:

CARBON DIOXIDE,CARBON MONOXIDE,AMMONIA,OTHERS POSSIBLE

=====
SECTION VII - SPILL OR LEAK PROCEDURES
=====

-STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED

AVOID SKIN AND EYE CONTACT,SCRAPE UP AND PLACE IN CONTAINER

-WASTE DISPOSAL METHOD:

THIS MATERIAL IF DISCARDED MAY BE HAZARDOUS AS DEFINED BY GOVERNMENT REGULATIONS AND,THEREFORE MAY BE SUBJECT TO STORAGE, TRANSPORTATION AND DISPOSAL REQUIREMENTS. DISCARD IN ACCORDANCE WITH LOCAL, STATE AND FEDERAL REGULATIONS.

Page: 3

SIA ADHESIVES, INC.
Material Safety Data Sheet for: EL 2705 B(3010750)

=====
SECTION VIII - SPECIAL PROTECTION INFORMATION:
=====

-RESPIRATORY PROTECTION:

NOT NORMALLY NEEDED.

CAS# Chemical Name

None

PRODUCT MAY CONTAIN TRACE AMOUNTS OF CALIFORNIA PROPOSITION
65 LISTED CHEMICALS.

-PROP 65 (TERATOGEN):

WARNING: This product contains a chemical known to the state
CMSDPC v4.25.05.FXa to cause birth defects or other reproductive harm.

CAS# Chemical Name

None

Cannot find MSDS record for 30108050001 01

-PROP 65 (BOTH CARCINOGEN AND TERATOGEN):

WARNING: This product may contain a chemical known to the state of
California to cause cancer or birth defects or other reproductive harm

CAS# Chemical Name

None

<F2> to stop printing.

Printing Formula: 3010840 -01

Copy: 1