

SECTION I - PRODUCT IDENTIFICATION

Manufacturer: SIA ADHESIVES, INC. Information Phone: (330) 374-2786
 123 WEST BARTGES ST. Emergency Phone: (330) 374-2900
 DEPARTMENT 1932/1904 CHEMTREC Phone: (800) 424-9300
 AKRON OH 44311

Product Class: AEROSOL ADHESIVE ! Hazard Ratings: Health - 2
 Trade Name : S-707 ! none -> extreme Fire - 3
 Product Code : 27680240001 ! 0 ---> 4 Reactivity - 0
 C.A.S. Number: NA !
 Prepared By : MICHAEL T. EBERHART
 Title : ENVIRONMENTAL AFFAIRS MANAGER

SECTION II - HAZARDOUS INGREDIENTS

Ingredients	CAS #	Weight %	Exposure Limits	VP
			ACGIH/TLV OSHA/PEL	mm HG
PETROLEUM DISTILLATE	64742-48-9	40.	400 ppm 0 ppm	0
DIMETHYLEETHER	115-10-6	15.	500 ppm 0 ppm	0
ISOBUTANE	75-28-5	15.	1000ppm 1000 ppm	0

*** ALL Ingredients in this product are listed in the T.S.C.A. Inventory.

SECTION III - PHYSICAL DATA

Boiling Range: 202 - 202 Deg. F Vapor Density: Heavier than Air.
 Evap. Rate: Faster than n-Butyl Acetate Liquid Density: Lighter than Water.
 Volatiles vol % 80 Wgt% 74 Wgt per gallon: 4.70 Pounds.
 Spec. Gravity: 0.56423

Appearance: TAN LIQUID IN AERSOL SHARP ODOR
 V.O.C.: 550 G/L

SECTION IV - FIRE AND EXPLOSION HAZARD DATA

Flammability Class: 1B Flash Point: -10 F TCC LEL: 1.80% UEL: 8.40%

-EXTINGUISHING MEDIA:
 WATER FOG, CARBON DIOXIDE, FOAM, DRY CHEMICAL.

-SPECIAL FIREFIGHTING PROCEDURES:
 DO NOT ENTER CONFINED FIRE SPACE WITHOUT PROPER PROTECTIVE
 EQUIPMENT INCLUDING NIOSH APPROVED SELF CONTAINED BREATHING
 APPARATUS.

-UNUSUAL FIRE & EXPLOSION HAZARDS:
 VAPORS MAY BUILD UP IN POORLY VENTILATED AREAS AND BE IGNITED,
 CAUSING FLASH FIRES OR EXPLOSIONS. VAPORS ARE HEAVIER THAN AIR
 AND MAY TRAVEL ALONG GROUND OR FLOOR TO SOURCE OF IGNITION,
 CAUSING FLASH FIRES OR EXPLOSIONS.

=====

SECTION V - HEALTH HAZARD DATA

-PERMISSIBLE EXPOSURE LEVEL:

-EFFECTS OF OVEREXPOSURE:

INHALATION: NOSE AND THROAT IRRITATION HEADACHE, NAUSEA, LOSS OF COORDINATION, DIZZINESS, UNCONSCIOUSNESS, AND EVEN ASPHYXIATION.

SKIN CONTACT: MAY CAUSE DEFATTING OR DERMATITIS.

EYE CONTACT: MAY CAUSE IRRITATION, OR CORNEAL CLOUDING.

INGESTION: ASPIRATION INTO LUNGS MAY CAUSE CHEMICAL PNEUMONITIS

CHRONIC EFFECTS OF OVER EXPOSURE: MAY CAUSE DEFATTING AND DERMATITIS. MAY CAUSE KIDNEY OR LIVER DAMAGE.

NOTICE: REPORTS HAVE ASSOCIATED REPEATED AND PROLONGED OCCUPATIONAL OVER-EXPOSURE TO SOLVENTS WITH PERMANENT BRAIN AND NERVOUS SYSTEM DAMAGE. INTENTIONAL MISUSE BY DELIBERATELY CONCENTRATING AND INHALING THE CONTENTS MAY BE HARMFUL OR FATAL.

OVER-EXPOSURE HAS BEEN SUGGESTED AS A CAUSE OF FOLLOWING EFFECTS LIVER ABNORMALITIES, KIDNEY DAMAGE, CENTRAL NERVOUS SYSTEM DAMAGE

-FIRST AID:

INHALATION: REMOVE TO FRESH AIR, IF NOT BREATHING, GIVE ARTIFICIAL RESPIRATION, PREFERABLY MOUTH TO MOUTH, IF BREATHING DIFFICULT GIVE OXYGEN, CALL A PHYSICIAN AT ONCE.

SKIN CONTACT: REMOVE CONTAMINATED CLOTHING AND LAUNDER BEFORE REUSE. WASH AFFECTED AREA WITH PLENTY OF SOAP AND WATER, USE AN INDUSTRIAL STRENGTH HAND CLEANER IF NECESSARY. SEE A PHYSICIAN IF RASH DEVELOPES.

EYE CONTACT: FLUSH WITH PLENTY OF WATER FOR AT LEAST 15 MIN (HOLD EYE LIDS OPEN) LONGER IF THERE IS INDICATION OF RESIDUAL MATERIAL IN EYE. SEE A PHYSICIAN.

INGESTION: DO NOT INDUCE VOMITING. CALL A PHYSICIAN IMMEDIATELY.

=====

SECTION VI - REACTIVITY DATA

STABILITY: [] Unstable [x] Stable

HAZARDOUS POLYMERIZATION: [] May occur [x] Will not occur

-INCOMPATIBILITY:

STRONG OXIDIZING AGENTS.

-CONDITIONS TO AVOID:

SEE ABOVE.

-HAZARDOUS DECOMPOSITION PRODUCTS:

CARBON DIOXIDE, CARBON MONOXIDE, SMOKE, ALIPHATICS, AND OTHERS.

=====

SECTION VII - SPILL OR LEAK PROCEDURES

- STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED
ELIMINATE ALL IGNITION SOURCES, PROVIDE ADEQUATE VENTILATION,
AVOID BREATHING VAPORS, AVOID EYE AND SKIN CONTACT. WIPE UP
WITH RAGS,PAPER OR OTHER ABSORBENT.PLACE IN SUITABLE CLOSED
CONTAINERS FOR DISPOSAL.
- WASTE DISPOSAL METHOD:
THIS MATERIAL IF DISCARDED, IS HAZARDOUS* AND MUST BE PROPERLY
STORED,TRANSPORTED,AND DISPOSED OF IN ACCORDANCE WITH APPLICABLE
LOCAL, STATE, AND FEDERAL REGULATIONS.
*RCRA REGULATION 40 CFR 261.21
CONTRACT WITH A DISPOSAL SERVICE EQUIPED TO HANDLE PRESSURIZED
CONTAINERS. DO NOT PUNCTURE OR INCENERATE.

=====

SECTION VIII - SPECIAL PROTECTION INFORMATION:

- RESPIRATORY PROTECTION:
FOR AIR CONTAMINANTS ABOVE TLV OR PERMISSIBLE LIMITS USE NIOSH
APPROVED RESPIRATOR FOR ORGANIC VAPORS.
- VENTILATION:
LOCAL EXHAUST TO KEEP VAPORS BELOW TLV OR PERMISSIBLE LIMITS.
- PROTECTIVE GLOVES:
IMPERVIOUS.
- EYE PROTECTION:
CHEMICIAL GOGGLES.
- OTHER PROTECTIVE EQUIPMENT:

=====

SECTION IX - SPECIAL PRECAUTIONS

- PRECAUTIONS TO BE TAKEN IN HANDLING AND STORING:
USE ONLY IN A WELL VENTILATED AREA. ELIMINATE ALL SOURCES OF
IGNITION SUCH AS SPARKS,FLAMES ,AND NON-EXPLOSION PROOF DEVICES.
AVOID PROLONGED OR REPEATED SKIN CONTACT OR BREATHING OF VAPORS.
FOR INDUSTRIAL USE ONLY,KEEP OUT OF THE REACH OF CHILDREN.
STORE IN TIGHTLY CLOSED CONTAINERS, IN A COOL DRY PLACE,AWAY
FROM ALL SOURCES OF IGNITION AND HEAT. LARGE CONTAINERS SHOULD
BE GROUNDED AND INTERCONNECTED TO PREVENT STATIC BUILD UP DURING
TRANSFER OPERATIONS. EMPTY CONTAINERS OF THIS MATERIAL MAY BE
HAZARDOUS SINCE THEY MAY CONTAIN RESIDUAL LIQUID,VAPORS OR DUST.
STORE BELOW 130F.
- OTHER PRECAUTIONS:
IN ADDITION TO ANY LISTED PRECAUTIONS,YOU SHOULD CONSULT YOUR
OCCUPATIONAL SAFETY AND HEALTH SPECIALIST TO INSURE THAT THE
HANDLING PROCEDURES WILL BE ADEQUATE AND IN COMPLIANCE WITH
APPLICABLE LAWS AND REGULATIONS.

DISCLAIMER OF LIABILITY: THE INFORMATION CONTAINED HEREIN IS
BASED ON DATA TAKEN FROM SOURCES BELIEVED TO BE BOTH CURRENT AND
RELIABLE AT THE TIME OF PUBLICATION. SIA ADHESIVES, INC.

=====

SECTION IX - SPECIAL PRECAUTIONS (cont.)

-OTHER PRECAUTIONS: (cont.)

HOWEVER MAKES NO WARRANTIES EXPRESS OR IMPLIED
AS TO ITS ACCURACY ASSUMES NO LIABILITY ARISING FROM ITS USE BY
OTHERS. COMPLIANCE WITH ALL APPLICABLE FEDERAL, STATE AND LOCAL
AND REGULATIONS REMAINS THE RESPONSIBILITY OF THE USERS.

=====

SECTION X - ADDITIONAL REGULATORY INFORMATION

-SARA TITLE III SECTION 313:

This product contains the following toxic chemicals subject to the
reporting requirements of section 313 of the Emergency Planning
and Community Right To Know Act of 1986 and of 40 CFR 372:

CAS#	Chemical Name	Percent by Weight
-----	-----	-----
	None	

-PROP 65 (CARCINOGEN):

WARNING: This product contains a chemical known to the state
of California to cause cancer.

CAS#	Chemical Name
-----	-----
	None

DRODUCT MAY CONTAIN TRACE AMOUNTS OF CALIFORNIA PROPODITION
65 LISTED CHEMICALS.

-PROP 65 (TERATOGEN):

WARNING: This product contains a chemical known to the state
of California to cause birth defects or other reproductive harm.

CAS#	Chemical Name
-----	-----
	None

=====

SECTION X - ADDITIONAL REGULATORY INFORMATION (cont.)

-PROP 65 (BOTH CARCINOGEN AND TERATOGEN):

WARNING: This product may contain a chemical known to the state of California to cause cancer or birth defects or other reproductive harm

CAS#	Chemical Name
-----	-----
	None